


3. Air Cleaner

A: 2200 cc CALIFORNIA SPEC. VEHICLES



B2M2280A


- | | | |
|-----------------------|---|--------------------|
| (1) Spacer | (10) Air cleaner element | (17) Rubber holder |
| (2) Bush | (11) Air cleaner case B | (18) Bush |
| (3) Air chamber | (12) Air cleaner case stay LH (MT vehicles) | (19) Spacer |
| (4) Cushion rubber | (13) Air cleaner case stay LH (AT vehicles) | |
| (5) Air intake duct A | (14) Air cleaner case stay RH | |
| (6) Air intake duct B | (15) Clamp | |
| (7) Holder | (16) Intake air temperature sensor | |

Tightening torque: N-m (kg-m, ft-lb)

T1: 7.4±2.0 (0.75±0.2, 5.4±1.4)

T2: 4.9±0.5 (0.5±0.05, 3.6±0.4)

B: 2200 cc EXCEPT CALIFORNIA SPEC. VEHICLES



B2M2281A


- | | |
|----------------------------------|-----------------------------|
| (1) Mass air flow sensor bracket | (7) Clip |
| (2) Mass air flow sensor ASSY | (8) Air cleaner case |
| (3) Air cleaner upper cover | (9) Cushion rubber |
| (4) Air cleaner element | (10) Air intake duct |
| (5) Spacer | (11) Resonator chamber ASSY |
| (6) Bush | (12) Clip |

Tightening torque: N·m (kg·m, ft·lb)

T1: 7.4±2.0 (0.75±0.2, 5.4±1.4)

T2: 33±10 (3.4±1.0, 25±7)

C: 2500 cc MODEL



H2M1731C

- | | |
|----------------------------------|-----------------------------|
| (1) Mass air flow sensor bracket | (7) Clip |
| (2) Mass air flow sensor ASSY | (8) Air cleaner case |
| (3) Air cleaner upper cover | (9) Cushion rubber |
| (4) Air cleaner element | (10) Air intake duct |
| (5) Spacer | (11) Resonator chamber ASSY |
| (6) Bush | (12) Clip |

Tightening torque: N·m (kg·m, ft·lb)

T1: 7.4±2.0 (0.75±0.2, 5.4±1.4)

T2: 33±10 (3.4±1.0, 25±7)